

Пластиковые хомуты для шланга с двойным захватом Herbie Clip

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hed@nt-rt.ru || сайт: <https://hcl.nt-rt.ru/>




Herbie® Clip

Designed and manufactured by HCL to the highest quality the **Herbie® Clip** is the original double grip plastic hose clamp. It offers exceptional strength due to it's unique double row of interlocking toothed jaws which offer over twice the clamping forces achieved by similar single toothed products.

The **Herbie® Clip** is a high quality hose clamp made from Nylon 6.6. and offers the largest range of Snap Fit Style Hose Clamps with 38 sizes ranging from 5.6mm to 169mm diameter. The clamp is highly versatile and lends itself to a wide variety of applications meaning that Herbie® Clips can be found in Agricultural Machinery, Automotive Engines, White Goods and many other applications.

Key Features

- Double Row of Interlocking Teeth
- Easy to Install with Pliers
- Reusable & releasable
- Minimal Leak Path
- Advanced Tooling for Production Lines
- Non-Corrosive, Non-Conductive, Non-Magnetic
- High Pressure resistance – over 30 bar (depends on hose & spigot)
- Choice of materials (Black Standard)
- Choice of colours



 Dimensions & Part Numbers					
HCL Part No	Diameter Range (A ₁ -A ₂) mm / inch	Band Width (B) mm / inch	Band Thickness (C) mm / inch	Head Height (D) mm / inch	Nylon 6.6 Weight grams/ounces
HC-A	5.4 – 6.3 / 0.21 – 0.25	4.0 / 0.16	1.4 / 0.055	8.4 / 0.33	0.50 / 0.018
HC-AA	6.4 – 8.7 / 0.25 – 0.34	4.6 / 0.18	1.7 / 0.067	10.0 / 0.39	0.82 / 0.029
HC-B	8.0 – 9.2 / 0.32 – 0.36	4.5 / 0.18		9.5 / 0.37	0.82 / 0.029
HC-BB	9.1 – 10.5 / 0.36 – 0.41	4.4 / 0.17		11.0 / 0.43	1.01 / 0.036
HC-C	10.3 – 12.0 / 0.41 – 0.47	5.9 / 0.23		12.4 / 0.49	1.75 / 0.062
HC-CC	11.3 – 13.4 / 0.45 – 0.53	6.3 / 0.25		12.6 / 0.50	1.92 / 0.068
HC-D	12.3 – 14.2 / 0.48 – 0.56	5.9 / 0.23		12.2 / 0.48	1.75 / 0.062
HC-E	13.8 – 15.3 / 0.54 – 0.60	7.3 / 0.29	2.1 / 0.083	13.7 / 0.54	2.88 / 0.102
HC-F	14.9 – 17.4 / 0.59 – 0.69	7.2 / 0.28	2.2 / 0.087	13.1 / 0.52	3.05 / 0.108
HC-G	17.0 – 19.4 / 0.67 – 0.76	7.0 / 0.28	2.1 / 0.083	12.7 / 0.50	2.79 / 0.098
HC-H	18.2 – 21.0 / 0.72 – 0.83	7.2 / 0.28	2.2 / 0.087	12.8 / 0.50	3.06 / 0.108
HC-J	20.7 – 23.7 / 0.82 – 0.93	6.4 / 0.25	2.1 / 0.083	14.5 / 0.57	3.42 / 0.121
HC-K	22.3 – 25.2 / 0.88 – 0.99	7.2 / 0.28		13.1 / 0.52	3.54 / 0.125
HC-L	25.1 – 28.2 / 0.99 – 1.11	7.2 / 0.28		13.1 / 0.52	3.57 / 0.126
HC-M	26.4 – 29.9 / 1.04 – 1.18	8.0 / 0.32	2.2 / 0.087	13.6 / 0.54	4.91 / 0.173
HC-N	29.4 – 32.7 / 1.16 – 1.29	9.1 / 0.36	2.1 / 0.083	13.6 / 0.54	5.54 / 0.196
HC-P	32.3 – 35.3 / 1.27 – 1.39	9.3 / 0.37	2.2 / 0.087	13.9 / 0.55	5.92 / 0.209
HC-Q	35.2 – 38.7 / 1.39 – 1.52	9.0 / 0.35		13.7 / 0.54	6.41 / 0.226
HC-R	37.4 – 40.9 / 1.47 – 1.61	9.3 / 0.37	2.1 / 0.083	13.3 / 0.52	6.42 / 0.227
HC-S	40.7 – 44.3 / 1.60 – 1.75	9.1 / 0.36		13.0 / 0.51	6.49 / 0.229
HC-T	43.3 – 47.2 / 1.71 – 1.86	8.9 / 0.35		13.1 / 0.52	6.56 / 0.232
HC-U	46.3 – 50.2 / 1.82 – 1.98	8.9 / 0.35		14.3 / 0.56	7.06 / 0.249
HC-V	49.2 – 53.6 / 1.94 – 2.11	9.1 / 0.36		14.7 / 0.58	7.99 / 0.282
HC-W	52.7 – 56.4 / 2.08 – 2.22	8.8 / 0.35		14.8 / 0.58	8.06 / 0.285
HC-X	54.8 – 59.4 / 2.16 – 2.34	9.3 / 0.37	2.4 / 0.095	15.6 / 0.61	9.80 / 0.346
HC-59	59.3 – 64.5 / 2.34 – 2.54	9.1 / 0.36	2.5 / 0.099	17.2 / 0.68	11.01 / 0.389
HC-64	63.5 – 66.7 / 2.50 – 2.63	9.1 / 0.36	2.6 / 0.102	15.6 / 0.61	9.47 / 0.334
HC-66-534B	65.2 – 70.3 / 2.57 – 2.77	9.3 / 0.37	2.0 / 0.079	15.3 / 0.60	9.48 / 0.335
HC-70	70.4 – 75.5 / 2.77 – 2.97	9.4 / 0.37	2.6 / 0.102	15.3 / 0.60	11.82 / 0.417
HC-75	74.2 – 80.0 / 2.92 – 3.15	9.3 / 0.37	2.5 / 0.099	16.8 / 0.66	13.46 / 0.475
HC-80	79.9 – 84.4 / 3.15 – 3.33	9.0 / 0.35	3.1 / 0.122	17.6 / 0.69	12.62 / 0.445
HC-85	84.8 – 89.8 / 3.34 – 3.54	8.9 / 0.35	2.5 / 0.099	17.3 / 0.68	11.98 / 0.423
HC-91	87.8 – 94.6 / 3.46 – 3.73	9.5 / 0.37	2.7 / 0.106	16.2 / 0.64	14.45 / 0.510
HC-96	95.5 – 101.6 / 3.76 – 4.00	8.5 / 0.33	2.5 / 0.099	17.6 / 0.69	13.80 / 0.487
HC-105	104.3 – 110.4 / 4.11 – 4.35	8.6 / 0.34	2.6 / 0.102	17.2 / 0.68	14.30 / 0.505
HC-109	106.9 – 114.0 / 4.21 – 4.49	9.0 / 0.35	2.5 / 0.099	17.7 / 0.70	15.94 / 0.563
HC-115	114.0 – 121.9 / 4.49 – 4.80	9.4 / 0.37	2.7 / 0.106	17.3 / 0.68	19.81 / 0.699
HC-163	162.2 – 169.3 / 6.39 – 6.67	9.9 / 0.39	2.5 / 0.099	15.3 / 0.60	18.58 / 0.656

IMPORTANT: All dimensions and weights are measured in their 'Dry as Moulded' state (DAM).
TOLERANCE: Dimensions +/- 1% or 0.1mm whichever is the greatest, Weights +/- 2.5%.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hed@nt-rt.ru || сайт: <https://hcl.nt-rt.ru/>